United States Department of Commerce National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 200133-0

Taiwan Testing and Certification Center

Taoyuan City Taiwan

is accredited by the National Voluntary Laboratory Accreditation Program for specific services, listed on the Scope of Accreditation, for:

Electromagnetic Compatibility & Telecommunications

This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.

This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality management system (refer to joint ISO-ILAC-IAF Communique on ISO/IEC 17025).

2024-06-21 through 2025-06-30

Effective Dates



For the National Voluntary Laboratory Accreditation Program

National Voluntary Laboratory Accreditation Program



SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Taiwan Testing and Certification Center

No.8, Lane 29, Wenming Road Guishan Dist. Taoyuan City 333 Taiwan Paul Liao Phone: 886-3280026-272 Email: paul.liao@etc.org.tw http://www.etc.org.tw

ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 200133-0

Emissions

<u>Designation</u>	<u>Description</u>
EN 55022 (2010) + AC (2011)	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement
BS EN 55032 (2015)+A11(2020)	Electromagnetic compatibility of multimedia equipment - Emission Requirements
EN 55032 (2015)+A11(2020)	Electromagnetic compatibility of multimedia equipment - Emission Requirements
EN IEC 61000-3-2 (2019)	Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current <= 16 A per phase)
BS EN IEC 61000-3-2 (2019)	Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current <= 16 A per phase)
IEC 61000-3-2, Ed. 5.1 (2020-07)	Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current <= 16 A per phase)
EN 61000-3-3:2013+A2:2021	Electromagnetic compatibility (EMC) Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection (IEC 61000-3-3:2013)

For the National Voluntary Laboratory Accreditation Program

National Voluntary Laboratory Accreditation Program



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 200133-0

IEC 61000-3-3:2013/AMD COR1:2022	Electromagnetic compatibility (EMC) Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection
BS EN 61000-3-3:2013+A	Electromagnetic compatibility (EMC) Part 3-3: Limits Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current <= 16 A per phase and not subject to conditional connection
EN IEC 61000-3-11 (2019)	Part 3-11: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — Equipment with rated current ≤ 75 A and subject to conditional connection
BS EN IEC 61000-3-11 (20	Electromagnetic compatibility (EMC) - Part 3-11: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — Equipment with rated current ≤ 75 A and subject to conditional connection
EN 61000-3-12 (2011)	Electromagnetic Compatibility (EMC) - PART 3-12: Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current greater than 16A and less than or equal to 75A
AS/NZS 2279.1 (2000)	Electromagnetic Compatibility (EMC) Part 3-2: Limits - Limits for Harmonic Current Emissions (Equipment Input Current <= 16A)
ANSI C63.4a (2017)	American National Standard for Methods of Measurement of Radio- Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHzAmendment 1: Test Site Validation
IEC/CISPR 22 Ed. 6.0 (200	2) Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment
AS/NZS CISPR 22 (2009) (2010)	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement
CISPR 32, Ed. 2.1 (2015) - (2019)	Electromagnetic compatibility of multimedia equipment - Emission requirements

Immunity

ANSI C63.4 (2014)

•	
<u>Designation</u> EN 55024 (2010) + A1 (2015)	Description Information technology equipment. Immunity characteristics. Limits and methods of measurement
IEC 61000-4-2, Ed. 2.0 (2008-12)	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test
EN 61000-4-2 (2009-05)	Electromagnetic compatibility (EMC) - Part 4-2 : Testing and measurement techniques - Electrostatic discharge immunity test
IEC 61000-4-3, Ed. 4.0 (2020-09)	Electromagnetic compatibility (EMC) - Part 4-3: Testing measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test

Unintentional Radiators in 47 CFR FCC Part 15, Subpart B

National Voluntary Laboratory Accreditation Program



ELECTROMAGNETIC COMPATIBILITY & TELECOMMUNICATIONS

NVLAP LAB CODE 200133-0

EN IEC 61000-4-3:2020	Electromagnetic compatibility (EMC) - Part 4-3: Testing measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3:2020)
EN 61000-4-4 (2012)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Electrical fast transient/burst immunity test
IEC 61000-4-4, Ed. 3.0 (2012-04)	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test
IEC 61000-4-5 (2014) + A1 (2017)	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test
EN 61000-4-5 (2014) + A1 (2017)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Surge immunity test
IEC 61000-4-6 Ed. 5.0 (2023-06)	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields
BS EN IEC 61000-4-6:2023	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields
IEC 61000-4-8 (2009)	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test
EN 61000-4-8 (2010)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Power frequency magnetic field immunity test
IEC 61000-4-11, Edition 3.0 (2020)	Electromagnetic Compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
BS EN IEC 61000-4-11:2020	Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
EN IEC 61000-4-11 (2020)	Electromagnetic Compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
EN IEC 61000-6-1 (2019)	Electromagnetic compatibility (EMC). Generic standards. Immunity for residential, commercial and light-industrial environments
EN IEC 61000-6-2 (2019)	Electromagnetic compatibility (EMC). Generic standards. Immunity standard for industrial environments
CISPR 24 (2010) + A1 (2015)	Information technology equipment - Immunity characteristics - Limits and methods of measurement
CISPR 35 (2016)	Electromagnetic compatibility of multimedia equipment - Immunity requirements