

United States Department of Commerce
National Institute of Standards and Technology



Certificate of Accreditation to ISO/IEC 17025:2017

NVLAP LAB CODE: 200133-0

Taiwan Testing and Certification Center

Taoyuan City
Taiwan


*is accredited by the National Voluntary Laboratory Accreditation Program for specific services,
listed on the Scope of Accreditation, for:*

Electromagnetic Compatibility & Telecommunications

*This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory quality
management system (refer to joint ISO-ILAC-IAF Communique dated January 2009).*

2023-06-14 through 2024-06-30

Effective Dates



For the National Voluntary Laboratory Accreditation Program

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

Taiwan Testing and Certification Center

No.8, Lane 29, Wenming Road

Guishan Dist.

Taoyuan City 333

Taiwan

Paul Liao

Phone: 886-3280026-272

Email: paul.liao@etc.org.tw

<http://www.etc.org.tw>

ELECTROMAGNETIC COMPATIBILITY &
TELECOMMUNICATIONS

NVLAP LAB CODE 200133-0

Emissions

Designation

EN 55022 (2010) + AC (2011)

EN 55032 (2015)+A11(2020)

BS EN 55032 (2015)+A11(2020)

IEC 61000-3-2, Ed. 5.1 (2020-07)

EN IEC 61000-3-2 (2019)

BS EN IEC 61000-3-2 (2019)

BS EN 61000-3-3 (2013)+A1(2019)

Description

Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement

Electromagnetic compatibility of multimedia equipment - Emission Requirements


Electromagnetic compatibility of multimedia equipment - Emission Requirements

Electromagnetic compatibility (EMC) - Part 3-2: Limits - Limits for harmonic current emissions (equipment input current \leq 16 A per phase)

Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current \leq 16 A per phase)

Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions (equipment input current \leq 16 A per phase)

Electromagnetic compatibility (EMC). Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current \leq 16 A per phase and not subject to conditional connection



For the National Voluntary Laboratory Accreditation Program

**ELECTROMAGNETIC COMPATIBILITY &
TELECOMMUNICATIONS**

NVLAP LAB CODE 200133-0

IEC 61000-3-3 (2013) + A1 (2017)	Electromagnetic compatibility (EMC) - Part 3-3: Limits - Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
EN 61000-3-3 (2013)+A1(2019)	Electromagnetic compatibility (EMC). Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
BS EN IEC 61000-3-11 (2019)	Electromagnetic compatibility (EMC) - Part 3-11: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — Equipment with rated current ≤ 75 A and subject to conditional connection
EN IEC 61000-3-11 (2019)	Part 3-11: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems — Equipment with rated current ≤ 75 A and subject to conditional connection
EN 61000-3-12 (2011)	Electromagnetic Compatibility (EMC) - PART 3-12: Limits for harmonic currents produced by equipment connected to public low-voltage systems with input current greater than 16A and less than or equal to 75A
AS/NZS 2279.1 (2000)	Electromagnetic Compatibility (EMC) Part 3-2: Limits - Limits for Harmonic Current Emissions (Equipment Input Current ≤ 16 A)
ANSI C63.4a (2017)	American National Standard for Methods of Measurement of Radio- Noise Emissions from Low-Voltage Electrical and Electronic Equipment in the Range of 9 kHz to 40 GHz--Amendment 1: Test Site Validation
IEC/CISPR 22 Ed. 6.0 (2008-09)	Limits and Methods of Measurement of Radio Disturbance Characteristics of Information Technology Equipment
AS/NZS CISPR 22 (2009) +A1 (2010)	Information technology equipment - Radio disturbance characteristics - Limits and methods of measurement
CISPR 32, Ed. 2.1 (2015) + A1 (2019)	Electromagnetic compatibility of multimedia equipment - Emission requirements
ANSI C63.4 (2014)	Unintentional Radiators in 47 CFR FCC Part 15, Subpart B

Immunity

Designation

Description

EN 55024 (2010) + A1 (2015)	Information technology equipment. Immunity characteristics. Limits and methods of measurement
IEC 61000-4-2, Ed. 2.0 (2008-12)	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test
EN 61000-4-2 (2009-05)	Electromagnetic compatibility (EMC) - Part 4-2 : Testing and measurement techniques - Electrostatic discharge immunity test
EN IEC 61000-4-3:2020	Electromagnetic compatibility (EMC) - Part 4-3: Testing measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test (IEC 61000-4-3:2020)

**ELECTROMAGNETIC COMPATIBILITY &
TELECOMMUNICATIONS**

NVLAP LAB CODE 200133-0

IEC 61000-4-3, Ed. 4.0 (2020-09)	Electromagnetic compatibility (EMC) - Part 4-3: Testing measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test
EN 61000-4-4 (2012)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Electrical fast transient/burst immunity test
IEC 61000-4-4, Ed. 3.0 (2012-04)	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test
EN 61000-4-5 (2014) + A1 (2017)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Surge immunity test
IEC 61000-4-5 (2014) + A1 (2017)	Electromagnetic compatibility (EMC) - Part 4-5: Testing and measurement techniques - Surge immunity test
EN 61000-4-6 (2014)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Immunity to conducted disturbances, induced by radio-frequency fields
IEC 61000-4-6 Ed. 4.0 (2013)	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields
IEC 61000-4-8 (2009)	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test
EN 61000-4-8 (2010)	Electromagnetic compatibility (EMC). Testing and measurement techniques. Power frequency magnetic field immunity test
BS EN IEC 61000-4-11:2020	Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
EN IEC 61000-4-11 (2020)	Electromagnetic Compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
IEC 61000-4-11, Edition 3.0 (2020)	Electromagnetic Compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase
EN IEC 61000-6-1 (2019)	Electromagnetic compatibility (EMC). Generic standards. Immunity for residential, commercial and light-industrial environments
EN IEC 61000-6-2 (2019)	Electromagnetic compatibility (EMC). Generic standards. Immunity standard for industrial environments
CISPR 24 (2010) + A1 (2015)	Information technology equipment - Immunity characteristics - Limits and methods of measurement
CISPR 35 (2016)	Electromagnetic compatibility of multimedia equipment - Immunity requirements